


FYRTEX® WORKER General Heat And Flame Protective Coat & Trousers (G1L CVC 275)



CE marked and certified in accordance with Regulation (EU) 2016/425 Personal Protective Equipment (PPE).

Heat and flame Protective Clothing & Welding Clothing & Antistatic Clothing

Fyrtex Worker Proban Jacket/Coat Trousers is used to protect the body of the user against the negative effects of heat and flame, welding splashing.

CE marked and Certified according to the EN ISO 11612:2015 'Protective Clothing- Clothing to protect heat and flame' and Certified according to the

EN ISO 11611:2015 'Protective Clothing for use in welding and allied processes'.

Standards



CE Mark



Category II



EN ISO 11611:2015

Class 1



EN ISO 11612:2015

A1 B1 C1 E2 F1



EN 1149-5:2018



EN ISO 13688:2013

TECHNICAL DETAILS

CE marked and certified in accordance with Regulation (EU) 2016/425 Personal Protective Equipment (PPE).

Heat and flame Protective Clothing & Welding Clothing & Antistatic Clothing

Fyrtex Worker Proban Jacket/Coat Trousers is used to protect the body of the user against the negative effects of heat and flame,welding splashing.

CE marked and Certified according to the EN ISO 11612:2015 ‘Protective Clothing-Heat and Flame’ and ‘Certified according to the

EN ISO 11611:2015 ‘Protective Clothing-Welding and related processes’.

Fyrtex Worker Proban Jacket/Coat Trousers is one- layered.

Fabric Composition: 75% Cotton FR (Proban Treated) + 24% Polyester + 1% Antistatic fiber

Fabric Weight: 275 gr/m2

Reflective Tapes: 50mm yellow / grey / yellow **Aramid backed**

Design:Trousers and Jacket/Coat and Trousers Alternatives.

Standards: EN 11612, EN 1149-5, EN 11611

Performance: A1 B1 C1 F1

General Specifications:

- The thin and soft fabric provides comfortable wear due to its viscose content
- FR black textile zippers (velcro band)
- FR type metal toothed zipper
- 100% Aramid yarn is used for stitching
- Single-row, horizontal 3M® Scotchlite 5 cm non-flammable reflective on the chest, back, arm and trousers (yellow-gray-yellow or red-gray-red) provides both daytime and night visibility
- Zipper provides high protection with a protective front fly which prevents flame entry
- Standard model includes 3 pockets on trousers and 3 pockets on jacket. According to your request number of pockets may change.
- At cuffs, FR textile zipper (velcro band) is provided for adjustment of the cuff width
- Jacket and trousers, coat and trousers options are available

EN ISO 11612 - PERFORMANCE LEVELS	
EN ISO 15025 - LIMITED FLAME SPREAD	A1
EN ISO 9151 - CONVECTIVE HEAT	B1
EN ISO 6942 - RADIANT HEAT	C1

EN ISO 9185 - MOLTEN IRON SPLASH	E2
EN ISO 12127 - CONTACT HEAT	F1

FYRTEX	JACKET				TROUSER			COVER	
SIZE	CHEST (CM)	ARM (CM)	SHOULDER (CM)	LENGTH (CM)	WAIST (CM)	INNER LEG(CM)	LENGTH (CM)	CHEST (CM)	ARM (CM)
S 46/48	52	59	16	76	42	77	103	54	60
M 50/52	56	60	17	78	46	78,5	106	58	62
L 54/56	60	61	19	80	50	80	109	62	64
XL 58/60	64	62	19	82	54	81,5	112	66	66
XXL 62/64	68	63	20	84	58	83	115	70	68

TOLERANCE $\pm$ % 2

